

# Package: uwu (via r-universe)

July 17, 2024

**Title** What the Package Does (One Line, Title Case)

**Version** 0.0.0.9000

**Description** What the package does (one paragraph).

**License** MIT + file LICENSE

**Encoding** UTF-8

**Language** en

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.1

**Config/rextendr/version** 0.3.1.9000

**SystemRequirements** Cargo (Rust's package manager), rustc

**Repository** <https://josiahparry.r-universe.dev>

**RemoteUrl** <https://github.com/josiahparry/uwu>

**RemoteRef** HEAD

**RemoteSha** d3bd974fb4fa6b65e7739b0492ea69ada4d95fd6

## Contents

uwu-package . . . . .	1
impute_uuid . . . . .	2
new_v4 . . . . .	2

<b>Index</b>	<b>3</b>
--------------	----------

---

uwu-package	<i>uwu: What the Package Does (One Line, Title Case)</i>
-------------	--

---

## Description

What the package does (one paragraph).

## Author(s)

**Maintainer:** Josiah Parry <[josiah.parry@gmail.com](mailto:josiah.parry@gmail.com)> ([ORCID](#))

---

impute_uuid	<i>Impute UUID for missing values</i>
-------------	---------------------------------------

---

**Description**

This function imputes a v4 UUID by reference into a character vector. Be careful. This operation cannot be undone!

**Usage**

```
impute_uuid(x, prefix = NULL)
```

**Arguments**

x                    a character vector.

---

new_v4	<i>Generate new UUIDs</i>
--------	---------------------------

---

**Description**

Note that if creating a v7 UUID, `uuid::UUIDgenerate(use.time = TRUE, output = "string")` is faster whereas a v4 UUID is ~20x faster using this implementation.

**Usage**

```
new_v4(n)
```

```
new_v7(n)
```

**Arguments**

n                    the number of uuids to generate

# Index

`impute_uuid`, 2

`new_v4`, 2

`new_v7 (new_v4)`, 2

`uwu (uwu-package)`, 1

`uwu-package`, 1